



ENGLISH

S-2302™

For Laboratory Use Only

S-2302™

S-2302 is a chromogenic substrate for plasma kallikrein

COMPOSITION

Each vial contains chromogenic substrate S-2302 25 mg and mannitol 60 mg as a bulking agent.

CHEMISTRY

Chemical name: H-D-Prolyl-L-phenylalanyl-L-arginine-p-nitroaniline dihydrochloride.

Formula: H-D-Pro-Phe-Arg-pNA · 2HCl

Mol. wt: 611.6

$\epsilon_{316 \text{ nm}}$ 1.27 · 10⁴ mol⁻¹ · L · cm⁻¹

Solubility: > 10 mmol/l in H₂O

Stability: Substance: Stable until expiry date if stored at 2-8°C. Avoid exposure to light. The substance is hygroscopic and should be stored dry.

Solution: 4 mmol/l in H₂O is stable for more than 6 months at 2-8°C. Contamination by microorganisms may cause hydrolysis.

Suitable stock solution: 4 mmol/l in H₂O.

PRINCIPLE

H-D-Pro-Phe-Arg-pNA ^{Enzyme} H-D-Pro-Phe-Arg OH+pNA(yellow)

The method for the determination of activity is based on the difference in absorbance (optical density) between the pNA formed and the original substrate. The rate of pNA formation, i.e. the increase in absorbance per second at 405 nm, is proportional to the enzymatic activity and is conveniently determined with a photometer.

KINETIC DATA

Human plasma kallikrein:

$K_m = 2 \cdot 10^{-4}$ mol/l,
 $V = 6.8 \cdot 10^{-9}$ mol/min · PEU.
Determined at 37°C in 2.5 ml of 0.05 mol/l Tris buffer pH 7.8
1 0.05. PEU (Plasma Equivalent Units). PEU refers to the activity generated from 1 ml of normal

human plasma using Cephotes® (NYCO, Oslo) as activator. The same K_m was obtained for a highly purified human plasma kallikrein.

APPLICATIONS

The substrate has been used for the determination of:

1. Prekallikrein in plasma (1,2,3)
2. Kallikrein inhibitors in plasma (2,4)
3. F XII in plasma (5)
4. Kallikrein-like activity in plasma (2,6)
5. Prekallikrein activator in albumin and immunoglobulin preparations (7,8)



DEUTSCH

S-2302™

Nur für Laborzwecke

S-2302 ist ein chromogenes Substrat für Plasmakallikrein.

ZUSAMMENSETZUNG

Jedes Fläschchen enthält 25 mg chromogenes Substrat S-2302 und Mannitol als Füllstoff.

CHEMIE

Chemischer Name: H-D-Prolyl-L-Phenylalanyl-L-Arginin-p-nitroaniline-dihydrochlorid

Formel: H-D-Pro-Phe-Arg-pNA · 2 HCl

Molekulargewicht: 611,6

$\epsilon_{316 \text{ nm}}$ 1.27 · 10⁴ mol⁻¹ · L · cm⁻¹

Löslichkeit: > 10 mmol/l in H₂O

Stabilität: Substanz: Bis zum Verfalldatum haltbar. Die Substanz ist bei 2-8°C angegebenen Verfalldatum stabil. Sie darf keinem Licht ausgesetzt werden. Sie ist hygroscopisch und sollte trocken gelagert werden. Lösung: 4 mmol/l in H₂O sind mehr als 6 Monate zwischen 2-8°C haltbar. Kontamination durch Mikroorganismen kann zur Hydrolyse führen.

Geeignete

Ausgangslösung: 4 mmol/l in H₂O

CHROMOGENIX



Chromogenix-
Instrumentation Laboratory SpA
V.le Monza 338 - 20128 Milano (Italy)

301917R1



REFERENCES

1. CLAESON G et al.: Methods for determination of prekallikrein in plasma glandular kallikrein. *Haemostasis* 7, 76-78 (1978).
2. GALLIMORE M J & FRIBERGER P. Simple chromogenic peptide substrate assays for determining prekallikrein, kallikrein inhibition and kallikrein-like activity in human plasma. *Thromb. Res.* 25, 293-298 (1982).
3. Chromogenix AB. Determination of prekallikrein in plasma with S-2302. Laboratory Instruction.
4. Chromogenix AB. Determination of kallikrein inhibitor activity in plasma. Laboratory Instruction.
5. VINAZZER H. Assay of total factor XII and of activated factor XII in plasma with a chromogenic substrate. *Thromb. Res.* 14, 155-166 (1979).
6. Chromogenix AB. Determination of kallikrein-like activity in plasma with S-2302. Laboratory Instruction.
7. ALVING B M et al.: Contact-activates factors: Contaminants of immunoglobulin-preparations with coagulant and vasoactive properties *J Lab Clin Med* 96, 334-346 (1980).
8. Chromogenix AB. Determination of prekallikrein activator in albumin and immunoglobulin preparations with S-2302. Laboratory Instruction.

S-2302 82 03 40-39

Printed Insert Sheet: 301917
Revision: R1
Issued: March 99
C.O.:

LANGUAGES

ENGLISH
GERMAN
FRENCH

TECHNICAL SPEC'S

PAPER: White paper, 50-60 g/m² weight.
SIZE: 5.9 x 8.18" (150 x 208 mm.).
PRINT: Front/Back.
PRINT COLOR: Front - All type in black.
Back - All type in black.